

0, 11 2 1 1 2, 11, 1 0 1 1 2 1

XCALIBUR DEVELOPER AEROSOL

1. IDENTIFICATION OF THE SUBSTANCE / PREPARATION AND THE COMPANY

Product Name XCALIBUR DEVELOPER AEROSOL

Product Code 8903

Company WILKINSON STAR LTD

Shield Drive • Wardley Industrial Estate

Worsley • Manchester

M28 2WD

starparts.sales@wilkinsonstar.com

www.wilkinsonstar.com Telephone 0161 793 8127

Fax 0161 727 8538

2. HAZARDS IDENTIFICATION.

Main hazards Extremely flammable.

3. COMPOSITION / INFORMATION ON INGREDIENTS.

Hazardous ingredients

	Conc.	CAS	EINECS	Symbols/Risk phrases
Acetone	1 - 10%	67-64-1	200-662-2	F; R11 Xi; R36 R66 R67
Ethanol	1 - 10%	64-17-5	200-578-6	F; R11
Butane	40 - 50%	106-97-8	203-448-7	F+; R12

4. FIRST AID MEASURES

Skin contact May cause irritation to skin. Wash off immediately with plenty of soap

and water. Remove contaminated clothing. Seek medical attention if

irritation or symptoms persist.

Eye contact May cause irritation to eyes. Rinse immediately with plenty of water

for 15 minutes holding the eyelids open. Seek medical attention if

irritation or symptoms persist.

Inhalation Inhalation may cause coughing, tightness of the chest and irritation

of the respiratory system. Move the exposed person to fresh air.

Seek medical attention.

Ingestion Ingestion may cause nausea and vomiting. Seek medical attention if

irritation or symptoms persist.

General information In case of accident or if you feel unwell, seek medical advice

immediately (show the label where possible).

5. FIRE FIGHTING MEASURES

Extinguishing media Carbon oxides. Alcohol resistant foam.

Fire hazards Vapour may travel considerable distance to source of ignition and

flash back

Protective equipment Wear suitable respiratory equipment when necessary.

XCALIBUR DEVELOPER AEROSOL

6. ACCIDENTAL RELEASE MEASURES

Personal precautions Ensure adequate ventilation of the working area. Evacuate personnel

to a safe area. Eliminate all sources of ignition. Wear suitable

protective equipment.

Environmental precautions Do not allow product to enter drains. Prevent further spillage if safe.

Clean up methods Absorb with inert, absorbent material. Transfer to suitable, labelled

containers for disposal. Clean spillage area thoroughly with plenty of

water.

7. HANDLING AND STORAGE

Handling Avoid contact with eyes and skin. Ensure adequate ventilation of the

working area. Use explosion proof equipment. Keep away from

sources of ignition - No smoking.

Storage Keep in a cool, dry, well ventilated area. Keep containers tightly

closed. Store in correctly labelled containers. Store at temperatures below 40 °C. Avoid contact with: heat and Direct Sunlight. Heat will increase pressure in sealed containers. Keep out of the reach of children.

Specific use Use only as Directed.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure limits

Acetone WEL 8-hr limit ppm: 500 WEL 8-hr limit mg/m3: 1210

WEL 15 min limit ppm:1500 WEL 15 min limit mg/m3: 3620

Ethanol WEL 8-hr limit ppm: 1000 WEL 8-hr limit mg/m3: 1920

WEL 15 min limit ppm:- WEL 15 min limit mg/m3: -

Butane WEL 8-hr limit ppm: 600 WEL 8-hr limit mg/m3: 1450 WEL 15 min limit ppm: 750 WEL 15 min limit mg/m3: 1810

Respiratory protection Wear suitable respiratory equipment when necessary.

Hand protection Chemical resistant gloves (PVC)

Eye protection Approved safety goggles.

Protective equipment Wear chemical protective clothing.

9. PHYSICAL AND CHEMICAL PROPERTIES

Description Aerosol.
Colour White.
Odour Aromatic.
Flash point -47°C

Flammability limits Extremely Flammable

Relative density 0.6

Water solubility insoluble in water.

10. STABILITY AND REACTIVITY

Stability Stable under normal conditions.

Conditions to avoid Heat, sparks and open flames.

Materials to avoid Oxidising agents.

11. TOXICOLOGICAL INFORMATION

Toxicological information No data is available on this product.

XCALIBUR DEVELOPER AEROSOL

12. ECOLOGICAL INFORMATION

Ecotoxicity No data is available on this product.

13. DISPOSAL CONSIDERATIONS

General information Dispose of in compliance with all local and national regulations.

Disposal methods Contact a licensed waste disposal company. For disposal within the

EC, the approppriate code according to the European Waste Catalogue

(EWC) should be used.

Disposal of packaging Do NOT reuse empty containers. Empty containers can be sent for

disposal or recycling.

14. TRANSPORT INFORMATION

ADR/RID

UN1950 Packing group-Class2 Hazard ID-

Proper Shipping NameAEROSOLS.

Name

IMDG

UN1950 Packing group-Class2 Marine pollutant NO

EmS CodeF-D S-U

IATA

UN1950 Packing group-Class2 Subsidiary risk see SP63

15. REGULATORY INFORMATION

Labelling The product is classified in accordance with 67/548/EEC.

Symbols F+ - Extremely flammable

Extremely flammable

Risk phrases R12 - Extremely flammable.

Safety phrases S16 - Keep away from sources of ignition - No smoking.

16. OTHER INFORMATION

Text of risk phrases in R11 - Highly flammable.

Section 3. R12 - Extremely flammable.

R36 - Irritating to eyes.

R66 - Repeated exposure may cause skin dryness or cracking.

R67 - Vapours may cause drowsiness and dizziness.

Further information The information supplied in this Safety Data Sheet is designed only as

guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials

or in any other process.

Revision This document differs from the previous version in the following areas:

2 - hazardous ingredients.