

6.0 Purity Two Stage Nickel Plated Brass Barstock Piston Cylinder Regulator



The Spec Master HPT620 Series two stage piston cylinder regulators are designed for primary pressure gas control of non-corrosive or toxic, high purity gases up to grade 6.0 purity (99.999%), on applications where constant delivery pressure is required as the cylinder pressure decreases.

- HPT621 Series | Two Stage Piston Cylinder Regulator, FKM Seal
- HPT622 Series | Two Stage Piston Cylinder Regulator, EPDM Seal



- Six port configuration
- Front panel mounting capabilities
- Encapsulated seat design
- Low wetted surface area
- Full range of inlet and outlet fittings
- Base and side entry

### **MATERIAL**

Nickel Plated Brass Barstock Body Nickel Plated Brass Barstock Bonnet

■ Piston Brass ■ Seal FKM / EPDM Valve Seat **PCTFE** 

■ Filter 10 Micron 316L Stainless Steel

#### **SPECIFICATION**

60 bar (870 PSI) Maximum Inlet Pressure

300 bar (4350 PSI) \*

Delivery Pressure Range 20 bar (300 PSI)

50 bar (725 PSI)


Gauges 50mm (2") Diameter Ports 1/4" NPT Female

■ Temperature Range -20° C to +60° C (-4° F to +140° F)


Helium Leak Integrity 1 x 10-9 mbar l/s ■ Weight 2.0 kg (4.4 lb) \*\*

\* Subject to cylinder connection - \*\* Cylinder connection not included

# **FLOW PERFORMANCE**



# **OD DRAWINGS**



## MODEL NO. SELECTOR GUIDE

#### Example for a Model No. for HPT620 Series

HPT621-	04-	07-		00-		00-	000-		00-		Α
Product Type	Inlet Pressure Bar [PSI]	Outlet Pressure Bar [PSI]	Ini	et Pressure Gauge	ı	Outlet Pressure Gauge	Inlet/Cylinder Connection		Outlet Connection		Options
HPT621	<b>02</b> 60 [870]	07 0 to 20 [300]	00	No Gauge Fitted	00	No Gauge Fitted	000 1/4 NPT Female	00	1/4 NPT Female	Α	No Options Selected
HPT622	<b>04</b> 300 [4350]	10 0 to 50 [725]	01	bar/PSI	01	bar/PSI	001 1/8 Stainless Steel Compression	01	1/8 Stainless Steel Compression	В	Regulator Tee Purge FKM
			10	Plugged Port	10	Plugged Port	002 1/4 Stainless Steel Compression	02	1/4 Stainless Steel Compression	С	Regulator Tee Purge EPDM
							003 6mm Stainless Steel Compression	03	6mm Stainless Steel Compression	F	Bonnet Vent Capture Kit
							<b>004</b> 1/4 NPT Male	04	1/4 NPT Male	G	Helium Test Certificate
							007 G3/8 BSP R/H Brass Male	07	G3/8 BSP R/H, Brass, Male	K	Certificate of Conformity (CoC)
							008 G3/8 BSP L/H Brass Male	08	G3/8 BSP L/H, Brass, Male	L	Panel Mount Locking Nut Kit
							<b>010</b> BS341 No.3	09	Isolation Valve, 1/4 NPT Female, FKM Seal	Р	Calibration / Pressure Test Certificate
							<b>012</b> BS341 No.4	10	Isolation Valve, 1/4 NPT Female, EPDM Seal	X	Special Instruction
							<b>015</b> BS341 No.8	11	Isolation Valve, 1/8 Stainless Steel Compression, FKM Seal		
							<b>030</b> DIN477 No.6	12	Isolation Valve, 1/8 Stainless Steel Compression, EPDM Seal		
							<b>033</b> DIN477 No.9	13	Isolation Valve, 1/4 Stainless Steel Compression, FKM Seal		
							<b>034</b> DIN477 No.10	14	Isolation Valve, 1/4 Stainless Steel Compression, EPDM Seal		
							<b>045</b> CGA320	15	Isolation Valve, 6mm Stainless Steel Compression, FKM Seal		
							<b>052</b> CGA540	16	Isolation Valve, 6mm Stainless Steel Compression, EPDM Seal		
							<b>053</b> CGA580	17	Isolation Valve, 1/4 NPT Male, FKM Seal		
							For our complete range of cylinder connections refer to 'Spec Master Cylinder Connections Data Sheet'	18	Isolation Valve, 1/4 NPT Male, EPDM Seal		
								19	Isolation Valve, G3/8 BSP R/H Brass Male, FKM Seal		
								20	Isolation Valve, G3/8 BSP R/H Brass Male, EPDM Seal		
								21	Isolation Valve, G3/8 BSP L/H Brass Male, FKM Seal		
								22	Isolation Valve, G3/8 BSP L/H Brass Male, EPDM Seal		